



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Docket No.: WOLFF P-26  
Inventor: Efraim GARTI  
Serial No.: 10/603,269  
Filing Date: June 25, 2003  
Title: LIQUID FILTER ELEMENT

---

Mail Stop – Transmission of Priority Document  
Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**TRANSMISSION OF PRIORITY DOCUMENT**  
**AND CLAIM TO PRIORITY**


Transmitted herewith is a Certified copy of the Priority Document for the above-identified Application which claims priority from Israeli Patent Application Serial No. 150,567, filed in Israel on July 3, 2002.

This completes the Priority Claim.

Respectfully submitted,

LACKENBACH SIEGEL, LLP  
Attorneys for Applicant(s)

By:



J. Harold Nissen  
Reg. No. 17283  
Customer No. 30294  
Telephone: (914) 723-4300  
Fax: (914) 723-4301


Enclosure  
Certified copy of Priority Document

Certificate of Deposit by Mail

I hereby certify that this correspondence is being filed by depositing same in an envelope stamped first-class mail, addressed to the Mail Stop – Transmission of Priority Document, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, in a duly marked U.S. Postal Service drop box, with appropriate postage, on the following date:


J. Harold Nissen

Attorney



Signature

Date



Applicant hereby petitions that any and all extensions of time of the term necessary to render this response timely be granted. COSTS FOR SUCH EXTENSION(S) AND/OR ANY OTHER FEE DUE WITH THIS FEE DUE WITH THIS APER THAT ARE NOT FULLY COVERED BY AN ENCLOSED CHECK MAY BE CHARGED TO DEPOSIT ACCOUNT #10-0100.



מדינת ישראל  
STATE OF ISRAEL

Ministry of Justice  
Patent Office

משרד המשפטים  
לשכת הפטנטים

This is to certify that annexed  
hereto is a true copy of the  
documents as originally  
deposited with the patent  
application of which  
particulars are specified on the  
first page of the annex.

זאת לתעודה כי רצופים  
בזה העתקים נכונים של  
המסמכים שהופקדו  
לכתחילה עם הבקשה  
לפטנט לפי הפרטים  
הרשומים בעמוד הראשון  
של הנספח.

This 25-06-2003 היום  
מ.מ.  
ממונה על  
רשמי הפטנטים  
Commissioner of Patents

נתאשר  
Certified

מספר: NUMBER	150567
תאריך: DATE	03-07-2002
הוקדם/נדחה ANTE/POST-DATED	

בקשה לפטנט  
Application for Patent

אני, (שם המבקש, מענו ולגבי גוף מאוגד - מקום ההתאגדות)  
I (Name and address of applicant, and in case of body corporate-place of incorporation)

MAYTRONICS LTD.  
an Israeli Company  
Kibbutz Yizreel 19350  
ISRAEL.

מיטרוניקס בע"מ  
חברה ישראלית  
קיבוץ יזרעאל 19350.

ששמה הוא:

חדין

בעל אמצאה מכח

Owner, by virtue of

of an invention, the title of which is:

מסנן נוזלים


(בעברית)  
(Hebrew)

LIQUID FILTER ELEMENT

(באנגלית)  
(English)

hereby apply for a patent to be granted to me in respect thereof.

מבקש בזאת כי ינתן לי עליה פטנט

* דרישה דין קדימה Priority Claim		* בקשה פטנט מוסף - Application for Patent of Addition		* בקשה חלוקה - Application for Division	
מדינת האגוד Convention Country	תאריך Date	מספר / סימן Number / Mark	לבקשה/לפטנט to Patent/Appl.	מבקשת פטנט From Application	
			No. מס' / dated מיום	No. מס' / dated מיום	
			ייפוי כח: כללי - מוגש בעניין תיק 109,394 P.O.A.: General - filed in case 109,394		
			המען למסירת הודעות ומסמכים בישראל Address for Service in Israel		
			WOLFF, BREGMAN AND GOLLER P.O. Box 1352, Jerusalem 91013.		
			וולף, ברגמן וגולר ת.ד. 1352, ירושלים 91013.		
			חתימת המבקש signature of Applicant		
			WOLFF, BREGMAN AND GOLLER by: 		
היום 30 בחודש 06 שנת 2002					
לשימוש הלשכה For office Use					

טופס זה כשהוא מוטבע בחותם לשכת הפטנטים ומושלם במספר ובתאריך ההגשה, הנו אישור להגשת הבקשה שפרטיה רשומים לעיל.

This form, impressed with the seal of the Patent Office and indicating the number and of filing, certifies the filing of the application the particulars of which are set out above

LIQUID FILTER ELEMENT

מסנן נוזלים

## **Field of the Invention**

The present invention relates to a filter element; more particularly, it relates to a disposable filter for pool cleaners.

## **Background of the Invention**

The filter elements used today in swimming pool cleaning devices and robots have to be cleaned periodically. The disadvantages of using these filters extend beyond those of the cleanable, reusable filters used in dust vacuum cleaners. After use, the pool cleaner filters are wet, causing the dirt to cling to the filter material and necessitating scraping, followed by rinsing and/or washing, of the filter. This tedious cleaning procedure must be repeated many times each season in order to achieve a reasonable degree of cleanliness in the pool. Obviously, people who acquire expensive pool-cleaning equipment do not wish to be bothered with its constant maintenance, not only with respect to the disassembly of the cleaner or robot, but also and even more so, with regard to the actual cleaning of the filter element, disposal of the collected dirt, washing of the filter and reassembly of the cleaner.

## **Disclosure of the Invention**

It is thus an object of the present invention to ameliorate the above-described disadvantages of the known filter elements for pool cleaners or robots, and to provide a disposable filter element that need not be cleaned.

It is a further object of the present invention to provide a disposable filter element for pool cleaners or robots that is suitable and effective for use in three or more consecutive cleaning cycles.

It is a still further object of the present invention to provide a filter element for pool cleaners or robots that is easily assembled in its dry state.

Accordingly, the present invention therefore provides a disposable filter, comprising a filtering bag with an opening, the bag being made of a non-woven, synthetic material having filtering perforations, and a substantially flat, stretchable band extending along the periphery of the opening, facilitating the easy attachment and detachment of the bag within a liquid filtering apparatus.

The invention further provides, in a swimming pool cleaning apparatus including a framework having a peripheral recess for supporting a filter, a disposable filter comprising a filtering bag with an opening defined by a rim, the bag being made of a non-woven, synthetic material having filtering perforations, and a substantially flat, stretchable band extending along the rim of the opening, the band being sized to fit into the recess in a stretched state, facilitating the easy attachment and detachment of the bag on the framework.

### **Brief Description of the Drawings**

The invention will now be described in connection with certain preferred embodiments with reference to the following illustrative figures, so that it may be more fully understood.

With specific reference now to the figures in detail, it is stressed that the particulars shown are by way of example and for purposes of illustrative discussion of the preferred embodiments of the present invention only, and are presented in the cause of providing what is believed to be the most useful and readily understood description of the principles and conceptual aspects of the invention. In this regard, no attempt is made to show structural details of the invention in more detail than is necessary for a fundamental understanding of the invention, the description taken with the drawings making apparent to those skilled in the art how the several forms of the invention may be embodied in practice.

In the drawings:

Fig. 1 is an isometric view of a preferred embodiment of a framework structured to support a filter according to the present invention within a pool cleaner;

Fig. 2 is a plan view of a filter according to the present invention, and

Fig. 3 is an isometric view of the filter of the present invention in its assembled state on the framework of Fig. 1.

### Detailed Description of Preferred Embodiments

Illustrated in Fig. 1 is a portion 2 of a pool-cleaning apparatus such as a swimming pool robot, including a base 4 supporting two substantially rectangular framework members 6, 8 disposed parallel to each other. Raw liquid inlet openings 10 are made in the base. Further provided is a recessed, circumferential strip 12.

Referring now to Fig. 2, there is shown a filter 14, made of a non-woven, synthetic material 16 such as polypropylene, having perforations of a size of between 70-80 microns. Material 16 is lightweight, e.g., 51.2 g/m<sup>2</sup>, has a stretching strength of 100.0 and 60.5 (length and width, respectively), and a bursting strength of about 80 lb/in<sup>2</sup>. The filter is further characterized by air permeability of cm<sup>3</sup>/cm<sup>2</sup>/sec, as follows:

1 mbar – 325

2 mbar – 510

3 mbar – 850.

Filter 14 is formed with an opening 18 having a sleeve 20 extending around its rim, through which is passed an elastic band 22. The sleeved opening 18 and elastic band 22 are sized to closely fit around and cling strongly to the recessed circumferential strip 12.



Fig. 3 illustrates filter 14 in its assembled state, slipped over framework members 6, 8 with the stretchable opening 18 tightly surrounding and clinging to recessed strip 12. In order to assure that the filter 14 will not be dislodged during use, two resilient, elongated loop clamps 24, 26 are utilized, each clamp slipping and stretching over the portion of the filter material covering member 6 or 8.

The disassembly of the filter for replacement is effected in reverse order. First, clamps 24, 26 are removed and then the entire filter 14 is removed with its opening 18 facing upwards, by dislodging the stretchable band 22 from recessed strip 12.

The non-woven, synthetic material of which the filter is made prevents frequent clogging of the filter, as the filtered-out dirt does not cling to, or get caught in, the material. Thus, the same filter may be used for, e.g., three or more filtering cycles without being replaced. Proper filtering operation is also achieved due to the high rate of air permeability of the filter material, relative to that of known prior art filters.

It will be evident to those skilled in the art that the invention is not limited to the details of the foregoing illustrated embodiments and that the present invention may be embodied in other specific forms without departing from the spirit or essential attributes thereof. The present embodiments are therefore to be considered in all respects as illustrative and not restrictive, the scope of the invention being indicated by the appended claims rather than by the foregoing description, and all changes which come within the meaning and range of equivalency of the claims are therefore intended to be embraced therein.

**WHAT IS CLAIMED IS:**

1. A disposable filter, comprising:
  - a filtering bag with an opening, said bag being made of a non-woven, synthetic material having filtering perforations, and
  - a substantially flat, stretchable band extending along the periphery of said opening, facilitating the easy attachment and detachment of said bag within a liquid filtering apparatus.
2. In a swimming pool cleaning apparatus including a framework having a peripheral recess for supporting a filter, the improvement comprising:
  - a disposable filter;
  - a filtering bag with an opening defined by a rim, said bag being made of a non-woven, synthetic material having filtering perforations, and
  - a substantially flat, stretchable band extending along said rim of the opening, the band being sized to fit into said recess in a stretched state, facilitating the easy attachment and detachment of the bag on said framework.
3. The filter as claimed in claim 1 or claim 2 wherein said filtering perforations are of a size between 70 to 80 microns.
4. The filter as claimed in claim 1 or claim 2, wherein said filter is characterized by air permeability as follows:
  - for 1 mbar –  $325 \text{ cm}^3/\text{cm}^2/\text{sec}$ ;
  - for 2 mbar –  $510 \text{ cm}^3/\text{cm}^2/\text{sec}$ , and
  - for 3 mbar –  $850 \text{ cm}^3/\text{cm}^2/\text{sec}$ .
5. The filter as claimed in claim 1 or claim 2, wherein said filter is characterized by a stretching strength of about 100.0 and 60.5 (length and width, respectively), and a bursting strength of about  $80 \text{ lb/in}^2$ .

6. The filter as claimed in claim 1 or claim 2, wherein said filter is made of polypropylene having a weight of about  $51.2 \text{ g/m}^2$ .
7. The filter as claimed in claim 1 or claim 2, wherein said stretchable band is of a substantially rectangular cross-section.
8. A disposable filter as claimed in claim 1, substantially as hereinbefore described and with reference to the accompanying drawings.
9. An improvement in a swimming pool cleaning apparatus as claimed in claim 2, substantially as hereinbefore described and with reference to the accompanying drawings.

for the Applicant

**WOLFF, BREGMAN AND GOLLER**

by:

A handwritten signature in black ink, appearing to read "Z. Bregman", is written over a horizontal line.

FIG. 1




FIG. 2




FIG. 3

